

Sirius Multigas Detector
[One PID, Four Gases...
Detects Hundreds of Chemicals]

The Sirius Multigas Detector provides the solution you have looked for in one complete package; incredible performance, maximum simplicity, and durable design all with MSA's commitment to quality.

Tremendous Flexibility

Users are able to simultaneously monitor for volatile organic compounds with low vapor pressures while measuring for combustible, toxic and oxygen deficient atmospheres within one reliable, easy-to-use, durable unit.

Reliable PID performance

Integrating proprietary PID sensor design (patent pending) into our proven reliable multigas detector designs, such as the designs used in the Orion and Solaris 4-gas multigas detectors, make this combination a dependable winner and allows users to get their monitoring done reliably and quickly.

User friendly software

Easy-to-use software allows users to focus on their tasks at hand.

Superior patent pending PID sensor design

Superior PID sensor design reduces maintenance time and cost.

Flexible configurations

This design combines two instruments into one.

Loud, attention grabbing alarm system

The Sirius Multigas Detector provides outstanding alarms to clearly warn users of a hazardous situation.

Interchangeable lithium-ion and alkaline battery packs

Keep instruments running 24 hours a day, 7 days a week.

Easy calibration and compatibility with MSA's Total Instrument Manager

Increase user safety by easily ensuring proper sensor performance.

Prices effective January 1, 2007



The Sirius™ Multigas Detector

Assemble-To-Order System and Pricing Guide



Sirius™ Multigas Detector Assemble-to-Order (ATO) Options

- To generate your instrument configuration, select instrument options and mark them in the boxes to the right.
- To calculate your instrument price, write in the price for each option in the space provided to the right and add to the base price of \$2,050 below.

A. Photoionization Detector Lamp Option



To choose the standard 10.6 eV lamp for most VOC's, choose selection A. For the low energy 9.8 eV lamp with the most VOC discrimination, enter selection B.

<i>PID Lamp</i>	<i>Code</i>	<i>Price</i>	<i>Selection</i>	<i>Price</i>
PID with 10.6 eV Lamp(0-2000 ppm)	A	\$250.00	<input type="checkbox"/>	<input type="text"/>
PID with 9.8 eV Lamp	B	\$300.00	<input type="checkbox"/>	\$ <input type="text"/>

B. Combustible Sensor Option

To choose to have your MSA 20L combustible sensor reading set to be displayed as 0-100% LEL, enter selection "L". For a display of 0-5% methane, enter an "M".

<i>Combustible Sensor</i>	<i>Code</i>	<i>Price</i>	<i>Selection</i>	<i>Price</i>
None	0	\$0.00	<input type="checkbox"/>	<input type="text"/>
0-100% LEL	L	\$180.00	<input type="checkbox"/>	<input type="text"/>
0-5% Methane	M	\$180.00	<input type="checkbox"/>	<input type="text"/>

C. Oxygen Sensor Options

To choose to have an oxygen sensor installed in your new Sirius Multigas Detector, enter selection 1. For no oxygen sensor, enter a "0".

<i>Oxygen Sensor</i>	<i>Code</i>	<i>Price</i>	<i>Selection</i>	<i>Price</i>
None	0	\$0.00	<input type="checkbox"/>	<input type="text"/>
Oxygen (0-25%)	1	\$170.00	<input type="checkbox"/>	\$ <input type="text"/>

D. Carbon Monoxide Sensor Option

To choose to have a carbon monoxide sensor installed in your new Sirius Multigas Detector, enter selection 1. For no carbon monoxide sensor, enter a "0".

<i>Carbon Monoxide Sensor</i>	<i>Code</i>	<i>Price</i>	<i>Selection</i>	<i>Price</i>
None	0	\$0.00	<input type="checkbox"/>	<input type="text"/>
Carbon Monoxide (0-500 ppm)	1	\$190.00	<input type="checkbox"/>	\$ <input type="text"/>

E. Hydrogen Sulfide Sensor Option

To choose to have a hydrogen sulfide sensor installed in your new Sirius Multigas Detector, enter selection 1. For no hydrogen sulfide sensor, enter a "0".

<i>Hydrogen Sulfide Sensor</i>	<i>Code</i>	<i>Price</i>	<i>Selection</i>	<i>Price</i>
None	0	\$0.00	<input type="checkbox"/>	<input type="text"/>
Hydrogen Sulfide (0-100 ppm)	1	\$190.00	<input type="checkbox"/>	\$ <input type="text"/>

F. Battery Pack & Charger Options



You may choose between MSA's lithium ion battery pack which includes a standard lithium ion battery charger, or the convenience of an alkaline battery pack. You may also choose to have both battery pack types included with your new Sirius Multigas Detector.

<i>Battery Pack/Charger</i>	<i>Code</i>	<i>Price</i>	<i>Selection</i>	<i>Price</i>
None	0	\$0.00	<input type="checkbox"/>	<input type="text"/>
Lithium ion, includes charger & cord	A	\$155.00	<input type="checkbox"/>	\$ <input type="text"/>
Replaceable alkaline	B	\$85.00	<input type="checkbox"/>	<input type="text"/>
Both Lithium ion and replaceable alkaline battery packs	C	\$240.00	<input type="checkbox"/>	<input type="text"/>

G. Vehicle Charger Option

If you would like to order the vehicle charger for your new Sirius Multigas Detector, enter selection 1.

<i>Vehicle Charger</i>	<i>Code</i>	<i>Price</i>	<i>Selection</i>	<i>Price</i>
None	0	\$0.00	<input type="checkbox"/>	<input type="text"/>
Vehicle Charger	1	\$200.00	<input type="checkbox"/>	\$ <input type="text"/>

H. Sampling Lines



MSA's Quick-Connect sampling lines are of the highest quality materials, guaranteed to provide accurate sampling concentrations. Sirius Multigas Detector sampling lines all includes a Quick-Connect air-line fitting for easy attachment and tight seal. For sampling jet fuel, enter selection 3 for the 10' teflon sampling line option, or selection 4 for the 25' sampling line option.

<i>Sampling Lines</i>	<i>Code</i>	<i>Price</i>	<i>Selection</i>	<i>Price</i>
None	0	\$0.00	<input type="checkbox"/>	<input type="text"/>
10-foot polyurethane	1	\$62.50	<input type="checkbox"/>	\$ <input type="text"/>
25-foot polyurethane	2	\$67.50	<input type="checkbox"/>	<input type="text"/>
10-foot teflon (for jet fuel sampling)	3	\$72.50	<input type="checkbox"/>	<input type="text"/>
25-foot teflon (for jet fuel sampling)	4	\$82.50	<input type="checkbox"/>	<input type="text"/>
3-foot polyurethane coiled	5	\$60.00	<input type="checkbox"/>	<input type="text"/>

I. Sampling Probes



MSA's sampling probes are durable & comfortable to use. The built in Water-Stop filter ensures that your sampling system is not contaminated with dirt and debris if the probe tip is dipped in water. You must order a probe if you order a sampling line, as we strongly recommend that you operate the instrument with this filter in place.

<i>Sampling Probes</i>	<i>Code</i>	<i>Price</i>	<i>Selection</i>	<i>Price</i>
None	0	\$0.00	<input type="checkbox"/>	<input type="text"/>
1-foot Probe	1	\$128.00	<input type="checkbox"/>	\$ <input type="text"/>
3-foot Probe	2	\$139.00	<input type="checkbox"/>	<input type="text"/>
8-inch Probe	3	\$59.00	<input type="checkbox"/>	<input type="text"/>

J. Carrying Attachments



While a high-strength stainless steel D-Ring is offered with this instrument at no extra charge, there are three other options for handling the instrument: the retractable carrying line for use with the D-Ring, the shoulder harness and the wrist harness to be used on the user's arm with a Level A suit.

<i>Carrying Attachments</i>	<i>Code</i>	<i>Price</i>	<i>Selection</i>	<i>Price</i>
None	0	\$0.00	<input type="checkbox"/>	<input type="text"/>
Retractable Carrying Line with Belt Clip	1	\$40.00	<input type="checkbox"/>	\$
Shoulder Harness	2	\$20.00	<input type="checkbox"/>	
Wrist Harness	3	\$45.00	<input type="checkbox"/>	

K. Instrument Jackets and Boots

To offer the highest level of instrument protection, you may choose a protective black rubber boot and harness, or a cordura jacket. You may also order both options by choosing selection C.

<i>Instrument Jacket/Boot</i>	<i>Code</i>	<i>Price</i>	<i>Selection</i>	<i>Price</i>
None	0	\$0.00	<input type="checkbox"/>	<input type="text"/>
Black Boot with Harness	B	\$77.00	<input type="checkbox"/>	\$
Cordura Jacket with Harness	C	\$45.00	<input type="checkbox"/>	
Black Boot, Cordura Jacket and Harness	D	\$122.00	<input type="checkbox"/>	

L. Calibration Kits

You may choose one of two calibration options for your Sirius Multigas Detector. The fixed-flow .25 lpm regulator includes a multigas calibration cylinder and also an isobutylene calibration gas cylinder if a PID selection is chosen. You may also order just the isobutylene calibration kit with gas cylinder.

<i>Calibration Kits</i>	<i>Code</i>	<i>Price</i>	<i>Selection</i>	<i>Price</i>
None	0	\$0.00	<input type="checkbox"/>	<input type="text"/>
Econo-Cal Fixed-Flow Regulator Calibration Kit (includes multigas and isobutylene cylinders)	1	\$575.00	<input type="checkbox"/>	\$
Model RP Fixed-Flow Regulator Calibration Kit (includes multigas and isobutylene cylinders)	2	\$650.00	<input type="checkbox"/>	
Isobutylene Calibration Kit (includes gas cylinder)	3	\$400.00	<input type="checkbox"/>	

M. Data Communications Kit

If you need to track the readings and operations of your Sirius Multigas Detector, consider ordering the instrument with the optional built-in datalogging module. The option also provides TWA and STEL capabilities.

<i>Data Communications</i>	<i>Code</i>	<i>Price</i>	<i>Selection</i>	<i>Price</i>
None	0	\$0.00	<input type="checkbox"/>	<input type="text"/>
Data Link Module	1	\$250.00	<input type="checkbox"/>	\$
Data Link Module and Software Kit	2	\$350.00	<input type="checkbox"/>	

N. Packaging

Your new Sirius Multigas Detector may be protected by a standard black plastic case, or by a black premium field case. You may also choose the option of a long-term storage kit case for emergency response, large enough to hold the Sirius Multigas Detector, calibration cylinders, spare sensors, spare PID lamp and lithium ion battery pack with charger, spare alkaline battery pack, lamp cleaning kit and simple-to-read and understand refresher instructions.

<i>Packaging</i>	<i>Code</i>	<i>Price</i>	<i>Selection</i>	<i>Price</i>
Standard shipping carton	0	\$0.00	<input type="checkbox"/>	<input type="text"/>
Standard black PVC case	1	\$126.00	<input type="checkbox"/>	\$
Premium black field case	2	\$96.40	<input type="checkbox"/>	
Long-term storage kit case	4	\$199.00	<input type="checkbox"/>	
Long-term storage kit basic includes PID lamp, add \$180 each sensor	5	\$1595.00	<input type="checkbox"/>	

O. PID Lamp Cap



The standard easy-access lamp cap is included with your Sirius Multigas Detector at no extra charge. You may also choose a tamper-proof lamp cap.



<i>PID Lamp Cap</i>	<i>Code</i>	<i>Price</i>	<i>Selection</i>	<i>Price</i>
None	0	\$0.00	<input type="checkbox"/>	<input type="text"/>
Standard easy-access lamp cap	S	\$0.00	<input type="checkbox"/>	\$0.00
Alternative tamper-proof lamp cap	T	\$0.00	<input type="checkbox"/>	

Your Model Part Number

Please write in numbers from selections above in appropriate boxes and contact your Safety Products Distributor to place your order.

Selection ...

A-SIRIUS-

A	B	C	D	E	F	G	H	I	J	K	L	M	N	O
<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>

Add Base Unit Price +

Total Unit Price = \$

All Pricing is in US Dollars

Approvals and Standards/Replacement Parts/Kits

Battery Packs

Standard Rechargeable Lithium Ion Battery Pack
Lithium Ion Battery Charger, consists of power supply and charge adapter
Replaceable Alkaline Battery Pack
Replaceable Alkaline Battery Pack less door
Vehicle Charger (includes charge adapter)

Part No.	List Price
10050347	\$173.00
10052512	\$165.00
10049412	\$105.00
10049098	\$85.00
10052513	\$235.00

Sampling Accessories

Sampling Line with Quick-Connect, 10-foot polyurethane
Sampling Line with Quick-Connect, 25-foot polyurethane
Sampling Line with Quick-Connect, 10-foot teflon
Sampling Line with Quick-Connect, 25-foot teflon
Sampling Line with Quick-Connect, 3-ft polyurethane coiled
Probe, 1-foot
Probe, 3-foot
Probe, 8-inch

Part No.	List Price
10040665	\$75.00
10040664	\$85.00
10049058	\$85.00
10049057	\$90.00
10040667	\$79.00
10042621	\$143.00
10042622	\$155.00
10040589	\$65.00

Protective Jackets, Boots and Carrying Attachments

Black Rubber Boot (includes harness)
Cordura Jacket (includes harness)
Shoulder Harness only
Retractable Carrying Line with Belt Clip
Wrist Harness

Part No.	List Price
10052514	\$85.00
10050122	\$55.00
474555	\$15.50
10050976	\$47.00
10051803	\$40.00

Calibration Gas Kits and Cylinders

Flow Control

RP .25 lpm Fixed-Flow Regulator Kit (includes tubing & fitting, less gas)
Gas Miser Demand RP Regulator (includes tubing and fitting, less gas)
Combination Regulator Kit (includes tubing and fitting, less gas)
Calibration Tubing
Calibration Fitting
Case Assembly for Calibration Kit, holds two 58 liter cylinders

Part No.	List Price
10050984	\$255.00
10050985	\$465.00
10050986	\$349.00
10041225	\$38.00
10041558	\$32.00
711192	\$90.00

Calibration Gas Cylinders

4 Gas RP Cylinder
4 Gas Econo-Cal Cylinder
3 Gas Econo-Cal Cylinder (CO)
4 Gas RP, CH4 Cylinder
3 Gas RP, CH4 Cylinder (CO)
4 Gas Econo-Cal, CH4 Cylinder
Isobutylene 100 ppm, 34 liters, Econo Cal
Isobutylene 100 ppm, 100 liters

Part No.	List Price
10045035	\$299.00
10048280	\$199.00
10048789	\$189.00
10048890	\$299.00
813718	\$165.00
10048981	\$199.00
10048279	\$199.00
494450	\$165.00

Squirt Gas Cylinders, 11 liters

4 Gas (CH4)
4 Gas (LEL)
Isobutylene 100 ppm

Part No.	List Price
814349	\$54.00
814559	\$54.00
815704	\$54.00

Long-Term Storage Kit

Includes 4-Gas PID, Lithium Ion and Alkaline Battery Packs, Vehicle Charger, 10' sampling line w/ 1' probe, retractable carrying line w/ belt clip, Cordura jacket and black boot, Econo-Cal kit, Data Link w/ software, 4 replacement sensors & PID Lamp, lamp cleaning kit, standard lamp cover and case

10051176	\$7,172.50
----------	------------

Replacement Lamps and Sensors

10.6 eV Lamp
9.8 eV Lamp
4 Sensor Kit (LEL, O2, CO, H2S)
Combustible Sensor (both LEL and CH4)
Oxygen
Carbon Monoxide
Hydrogen Sulfide
Long-Term Storage Oxygen Sensor (hermetically sealed for 2-year storage)

Accessories

Disposable Ionization Chamber
Lamp Cleaning Kit
Filter Replacement Kit with O rings and replacement dust filters
Standard Lamp Cover
Tamper-Proof Lamp Cover
Sirius Multigas Detector Screwdriver
Sirius Multigas Detector Instructional CD Rom
Sirius Multigas Detector Instructional Video
Instruction Manual

Part No.	List Price
10049692	\$320.00
10052298	\$320.00
10051717	\$500.00
10049808	\$200.00
10049806	\$150.00
10049804	\$140.00
10049805	\$140.00

Part No.	List Price
10049807	\$195.00
10047463	\$59.45
10049691	\$99.00
10049680	\$25.00
10050841	\$21.00
10050750	\$21.00
636913	\$5.90
10054667	\$33.00
10050856	\$19.95
10048887	\$33.00

Carrying Cases

Standard Black Plastic Case
Premium Black Field Case with foam insert
Long-Term Storage Kit Case with labeled foam insert

Part No.	List Price
710948	\$160.00
10052515	\$160.00
10051539	\$200.00

Approvals and Standards

The Sirius Multigas Detector has been designed to meet the requirements as set forth in Standards UL913 6th edition and CSA 22.2 No. 157 for use in hazardous locations Class I, Divisions 1, Groups A, B, C and D, Temperature Class T3C, -20°C<Tamb<+50°C. The Sirius Multigas Detector has been designed also to meet the requirements as set forth in the Canadian combustible performance standard CSA 22.2 No. 152 for methane only.

WARNING

Substitution of components may impair intrinsic safety! Charge instrument in non-hazardous locations only! Read and understand instruction manual before use! To prevent ignition of flammable or combustible atmospheres, read, understand and adhere to the manufacturer's maintenance procedures.

Sirius Multigas Detector Kits	Part #	10.6 eV	LEL	O2	CO	H2S	Li Ion	Alka Bat	10 ft line	1 ft probe	Ret Line	Bl Boot	Cor Jac	Cal Kit	Data Log	Blk Cas	Std Cap	Lamp Cl Kit	Price
Deluxe LEL 4-Gas Lithium Ion PID	10051141	X	X	X	X	X	X		X	X	X	X	X	X		X	X		\$4,338.50
Deluxe LEL 3-Gas H2S Lithium Ion PID	10051142	X	X	X		X	X		X	X	X	X	X	X		X	X		\$4,148.50
Deluxe LEL 3-Gas CO Lithium Ion PID	10051143	X	X	X	X		X		X	X	X	X	X	X		X	X		\$4,148.50
Deluxe LEL 4-Gas Lithium Ion PID Datalog	10051144	X	X	X	X	X	X		X	X	X	X	X	X	X	X	X		\$4,688.50
Deluxe LEL 4-Gas Lithium Ion PID less bt/jac	10051117	X	X	X	X	X	X		X	X	X			X		X	X	X	\$4,366.50
Industrial LEL 4-Gas Lithium Ion PID	10051146	X	X	X	X	X	X		X	X	X	X	X				X		\$3,637.50
Industrial LEL 3-Gas H2S Lithium Ion PID	10051147	X	X	X		X	X		X	X	X	X	X				X		\$3,447.50
Industrial LEL 3-Gas CO Lithium Ion PID	10051148	X	X	X	X		X		X	X	X	X	X				X		\$3,447.50
Industrial LEL 4-Gas Lithium Ion PID no jacket	10051149	X	X	X	X	X	X		X	X	X	X					X		\$3,592.50
Industrial LEL 4-Gas Lithium Ion PID with cal	10051150	X	X	X	X	X	X		X	X	X			X	X	X	X		\$4,566.50
Economy LEL 4-Gas Alkaline PID	10051151	X	X	X	X	X		X									X		\$3,215.00
Economy LEL 3-Gas H2S Alkaline PID	10051152	X	X	X		X		X									X		\$3,025.00
Economy LEL 3-Gas CO Alkaline PID	10051153	X	X	X	X			X									X		\$3,025.00
Economy LEL 4-Gas Lithium Ion PID	10051154	X	X	X	X	X	X										X		\$3,285.00

Sirius Multigas Detector Kits	Part #	10.6 eV	LEL	O2	CO	H2S	Li Ion	Alka Bat	10 ft line	1 ft probe	Ret Line	Bl Boot	Cor Jac	Cal Kit	Data Log	Blk Cas	Std Cap	Lamp Cl Kit	Price
Deluxe CH4 4-Gas Lithium Ion PID	10051177	X	X	X	X	X	X		X	X	X	X	X	X		X	X		\$4,338.50
Deluxe CH4 3-Gas H2S Lithium Ion PID	10051178	X	X	X		X	X		X	X	X	X	X	X		X	X		\$4,148.50
Deluxe CH4 3-Gas CO Lithium Ion PID	10051179	X	X	X	X		X		X	X	X	X	X	X	X	X	X		\$4,498.50
Deluxe CH4 4-Gas Lithium Ion PID Datalog	10052511	X	X	X	X	X	X		X	X	X	X	X	X	X	X	X	X	\$4,838.50
Industrial CH4 4-Gas Lithium Ion PID	10051181	X	X	X	X	X	X		X	X	X	X	X				X		\$3,637.50
Industrial CH4 3-Gas H2S Lithium Ion PID	10051182	X	X	X		X	X		X	X	X	X	X				X		\$3,447.50
Industrial CH4 3-Gas CO Lithium Ion PID	10051183	X	X	X	X		X		X	X	X	X	X				X		\$3,447.50
Industrial CH4 4-Gas Lithium Ion PID no jacket	10051184	X	X	X	X	X	X		X	X	X	X					X		\$3,592.50
Economy CH4 4-Gas Alkaline PID	10051185	X	X	X	X	X		X									X		\$3,215.00
Economy CH4 3-Gas H2S Alkaline PID	10051186	X	X	X		X		X									X		\$3,025.00
Economy CH4 3-Gas CO Alkaline PID	10051187	X	X	X	X			X									X		\$3,025.00
Economy CH4 4-Gas Lithium Ion PID	10051188	X	X	X	X	X	X										X		\$3,285.00

Prices above are suggested U.S. list prices only and may not apply in international markets. Prices subject to change without prior notification.

Note: This Bulletin contains only a general description of the products shown. While uses and performance capabilities are described, under no circumstances shall the products be used by untrained or unqualified individuals and not until the product instructions including any warnings or cautions provided have been thoroughly read and understood. Only they contain the complete and detailed information concerning proper use and care of these products.



ID 0803-05-MC / Feb 2007

© MSA 2006 Printed in U.S.A.

Corporate Headquarters
P.O. Box 426, Pittsburgh, PA 15230 USA
Phone 412-967-3000
www.MSAnet.com

U.S. Customer Service Center
Phone 1-800-MSA-2222
Fax 1-800-967-0396

MSA Canada
Phone 416-620-4225
Fax 416-620-9697

MSA Mexico
Phone 52-55 21 22 5770
Fax 52-55 5359 4330

MSA International
Phone 412-967-3354
Fax 412-967-3451



MSA
The Safety Company